

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

**Paper No.: X**

**DATE : November 26, 2007**

**TO SPE OF : ART UNIT 3616**

**SUBJECT : Request for Certificate of Correction for Appl. No.: 10/684,188 Patent No.: 7178825 B2**

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code **COCX**.

**DO NOT SENT TO ATTORNEY**

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

**Certificates of Correction Branch (CofC)**

**South Tower - 9A22**

**Palm Location 7580**

You can fax the Directors/SPE response to 571-270-9990

*LAMONTE*

*NEWSOME*

Certificates of Correction Branch

**703-308-9390 ext. 112**

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.


**Comments:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

  
**PAUL N. DICKSON**  
**SUPERVISORY PATENT EXAMINER**  
**TECHNOLOGY CENTER 3600**

*3616*